

Stop dirty footprints in their tracks with Step Repeat, a revolutionary new barrier floor space solution for Asia. It simply grabs foot debris and wetness carried in from the outside, before it's deposited onto your interior floor. By preventing dirt trail, slips and falls it gives entry surfaces 360 degree protection from heavy foot, or wheeled, floor traffic.

Designed for the inside of hi-wear entrances or lobby floors, Step Repeat is easier to maintain than traditional entrance mat solutions. Random installation and the modular format help to make installing and replacing easier without specialist training. The simple but sophisticated pattern design and colour palette lets you easily match to existing hard or soft floors.

Made from high quality materials to ensure longer life, they will look attractive even after extended wear. Step Repeat is produced from over 60% recycled content and is 100% recyclable. Innovative, easy to install, clean and replace, Step Repeat delivers ultimate protection for your flooring.

Entryway carpet is like insurance for your floor. Installing carpet designed specifically for entryways 3 - 4 meters in from each entrance will simplify maintenance and add years to the rest of your floor covering. Product SR999 Colour Onyx Installed Non-directional Collection Equal Measure Product EM551™ Colour Union St. Installed Ashlar



Step Repeat benefits:

- Protects interior floors from dirt, soil and wetness
- Protects against slip and fall accidents
- Suitable for protection of carpet and hard floors
- Unique "scraper" yarn removes excess dirt from foot traffic
- Dense construction absorbs water
- Each tile will hold over 1kg of dirt
- Dirt and soil stays in the carpet until you vacuum it later
- Suitable for all types of entrance ways, lift lobby, stair access, ramp ways
- Extra heavy duty construction
- Easily removed and replaced
- Easy clean just vacuum the same as carpet
- 3 colours to match existing interior finishes
- 15-year warranty
- No glue installation*
- Impervious backing
- 61% recycled content and 100% recyclable **
- *Used with Interface TacTiles®
- **Through Interface ReEntry™ program







SR999™ Colourline







7995-004-000 Onyx



7995-001-000 Smoke

















CoolCarpet™ Intersept®

Specifications

SR999™

7995 Pattern 000 Style Code **Product Definition** Tufted Textured Loop

BCF Nylon Type 6 - 100% Recycled Content Yarn/Fibre

Colour System 100% Solution Dyed

Machine Gauge 1/12

Pile Thickness 3.5mm +/- 0.5mm Total Thickness 7.5mm +/- 0.5mm 50cm x 50cm Tile Size

Area of Use Commercial - Heavy Use

Lifetime Antimicrobial Intersept® Protekt^{2®} Soil/Stain Protection

Total Recycled Content GlasBac® 65% to 70% Total Recycled Content

GlasBac®RE 80% to 85% Total Recycled Content

Installation Methods Non-directional



Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product for backings. Yarn/Fibre recycled content calculation excludes backing. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology.
*Cool Carpet is not a standard option in Australia and New Zealand.

As part of Interface's Mission Zero promise to eliminate any negative impact on the environment by 2020, we always consider the environment impact of every creative, manufacturing and building decision. This sample book is printed on recycled paper and with soy based ink. Twenty four virgin trees were saved from our use of 1725kg of recycled paper in the production of 5000 sample books. Energy intensity also decreased and greenhouse gases were reduced. The other reductions came from waste water and solid waste. Through our sample reclamation program, we help keep sample materials out of landfill by re-using them until it is time to recycle these sample materials.

www.interface.com

South East Asia

Interface Asia tel: 65-6478 1510 www.interface.com

South Korea

tel. 82-2-555 1734 www.interface.com

Japan

Interface Japan tel: 81-3-5733 5211 www.interface.com

India

Interface India tel: 91 80 30589350 www.interface.com

Beijing Studio

Interface China tel: 86-10-6590 7810 www.interface.com.cn

Hongkong Studio

Interface China tel: 852-2802 0838 www.interface.com.cn

Shanghai Studio

Interface China tel: 86-21-6340 3868 www.interface.com.cn

Australia

Interface Australia local toll free: 1800 008 101 www.interface.com

10/2016



Mission Zero:

our promise to eliminate any negative impact our company may have on the environment by the year 2020.