Works for Education







Works for Education

Products shown within the Works for Education Collection are NZ stock items, available in 500m2+ quantity.

Please note, there are many other colours available both within the NZ stock offering and global indent collections. Contact your Account Manager or visit www.inzide.co.nz for more.

Colour in Education spaces

There is perhaps no more important space to harness the power of good design than in that of education. When children have a positive experience of education at an early age, it inspires and stimulates them, and can ignite a passion for learning.

So, what colours can actually enhance creativity, focus and concentration? Of course cultural and social influences will affect this, but when looking for colours that have universal appeal those drawn from nature can tap into positive experiences shared by all, best explained through the Ecological Valence Theory.

Green is known to be the easiest colour for the retina to perceive and, as such, is the best for long-term concentration, while blue has been found to boost creativity and enhance participants' ability to think 'outside of the box'. It is thought that the association with water and the sky makes us open and calm enough to be explorative and creative. Blue has also been linked with improved productivity. Therefore, in a learning environment, it would be useful to use blue where difficult subjects are taught or students may ordinarily experience stress.

However, to avoid the colour scheme becoming too monochromatic, warmer shades such as yellows, oranges and reds can help to create a more lively and cheerful atmosphere. As with anything, use these bolder colours in moderation, particularly for younger students who are already prone to over stimulation.

Overall, colours can be a cost effective and impactful way to create the desired feeling of a space. Cooler colours are good for calm, focus and concentration, whereas warmer colours help students to stay happy, alert and attentive, and add a youthful touch.





More than face value

In an education environment it's impossible to prevent dirt and spills. That is why Intersept and Protekt are permanently incorporated into all Interface, carpet tiles. Together they extend the life of your floor.


Intersept offers protection from the microbes (viruses, bacteria and mould) that can affect not only the life of the carpet but also the indoor air quality. Solution dyed nylon & Protekt ensures that each tile is soil and stain resistant thanks to a coating that provides a barrier against permanent damage, as it is a yarn that cannot absorb a dye.

Safe for future thinkers and our world

Now more than ever before, young minds are thinking of the impact that we all have on our environment and expecting the environments they inhabit to reflect their sustainable values.

All Interface products are certified carbon neutral, are closed loop recyclable through the ReEntry recycling program and made of highly recycled materials, with very low VOC's.

All Forbo products meet best practice PVC standard ISO14001 to be phalate free, with low VOC's.



GRANITE QUARTER- TURNED

Interface[®]



Colour Highlights | Granite Base

Granite provides a warm mid-grey base, with the option of a blue, green or red highlight tile. The lighter base colour alters the overall vibrancy of the highlight colours, softening the look and creating an inviting, homely feel.

5%

Granite/Blue



Granite/Green



Granite/Red



10%






15%







WORKS STREAM



GRAPHITE MONOLITHIC

Interface[®]



Colour Highlights | Graphite Base

Graphite is a very forgiving colour which makes a bold statement within a space. With the option of a blue, green or red highlight tile, the colours pop against the dark base, making them appear more vibrant than those used in the graphite base. The graphite tiles give a sense of movement and energy, ideal for high traffic areas.

5%







10%







15%







WORKS STREAM



INDIGO / GRANITE MONOLITHIC

Interface[®]



Colour Highlights | Indigo Base

With the option of a green, teal or yellow highlight tile, the indigo base tile harnesses the colours of nature, introducing them into any space in a subtle yet intentional way.

5%







10%








15%







SPHERA ESSENCE



SHARK 50503

Technical Specifications

 Manufacturer
 Forbo

 Product definition
 General Purpose Vinyl

 Format size
 2m x 25m - sheet

 Total thickness
 2mm

 Surface finish
 SMART Top

 Resistance to chemicals
 Very Good

Abrasion resistance Slip resistance rating Use in wet areas Group T R10 / SRV 42 Yes (not for ramps)

Fire rating 9.2Kw/m2

Performance Specifications

Area of use Commercial, general use Warranty 15 year warranty





SPHERA ELEMENTS



STEEL 50011

Technical Specifications

ManufacturerForboProduct definitionGeneral Purpose VinylFormat size2m x 25m - sheetTotal thickness2mmSurface finishSMART TopResistance to chemicalsVery GoodAbrasion resistanceGroup TSlip resistance ratingR10 / SRV 42

Yes (not for ramps)

Fire rating 9.2Kw/m2

Performance Specifications

Area of use Commercial, general use Warranty 15 year warranty



Use in wet areas



SOLIDSTEP



CHARCOAL 179992

Technical Specifications

Manufacturer Forbo

Product definition Safety Flooring - slip resistance particles included

hoot

Format size 2m x 20m - sheet

Total thickness 2mm

Slip resistance R10 / SRV 55

rating Yes Use in wet areas Yes

Use on ramps 8.3Kw/m2

Fire rating

Performance Specifications

Area of use Commercial, general use Warranty 15 year warranty





STEP REPEAT



SR999 IRON

Technical Specifications

Manufacturer Interface Product definition Tufted textured loop Format size 50cm x 50cm Backing GlasBac® Pile thickness 3.5mm+/- 0.5mm 7.5mm +/- 0.5mm **Total thickness** Recycled content Up to 57% Anti-microbial Intersept® Soil & stain protection Protekt® Fire rating 5.3Kw/m2

Performance Specifications

Area of use Commercial, general use Warranty Limited 5 year warranty

Interface®



Works for Education

Products shown within the Works for Education Collection are NZ stock items, available in 500m2+ quantity.

Please note, there are many other colours available both within the NZ stock offering and global indent collections. Contact your Account Manager or visit www.inzide.co.nz for more.

Specification

Range	Fire Rating*	Slip Resistance**	Dimension	Total Thickness	Area of use	Warranty	3rd party Certification
Works Stream by Interface	6.7 Kw/m2	N/A	Tile 50X50cm	5.5mm +/- 0.5mm	General	15 years	Section of the sectio
Sphera by Forbo	9.2 Kw/m2	R10 SRV=42	Sheet Width 2m	2mm	General & level wet areas	15 years	Catalogical Section of Section 1
Solidstep by Forbo	8.3 Kw/m2	R10 SRV=55	Sheet Width 2m	2mm	Wet areas level & ramped	15 years	to at tear 50°.
Step Repeat SR999 by Interface	5.3 Kw/m2	N/A	Tile 50X50cm	7.5mm +/- 0.5mm	Entrance/ exit	5 years limited	tout teams

^{*}Critical Radiant Flux (CRF) must be a minimum of 2.2Kw/m2 standard or 4.5Kw/m2 for detained areas to meet code.

Installation Methods

WORKS STREAM



AAA AAA Brick

Quarter-Turr

All products meet NZGBC Greenstar requirements and are 3rd party certified.



